


Application No.: 10/696,057

Page 8

Docket No.: UC0350NA

Amendments to the Claims

1. (Currently Amended) A copolymer comprising at least one monomeric unit having Formula I:



wherein:

R^1 is the same or different at each occurrence and is selected from hydrogen, C_1 - C_{20} alkyl, C_2 - C_{20} alkenyl, C_2 - C_{20} alkynyl, C_1 - C_{20} alkoxy, C_1 - C_{20} oxyalkyl, C_2 - C_{20} oxyalkenyl, C_2 - C_{20} oxyalkynyl, C_1 - C_{20} fluorinated alkyl, C_2 - C_{20} fluorinated alkenyl, C_1 - C_{20} fluorinated oxyalkyl, C_2 - C_{20} fluorinated oxyalkenyl, C_2 - C_{20} fluorinated oxyalkynyl, aryl, heteroalkyl, heteroalkenyl, heteroalkynyl, heteroaryl, -CN, -OR³, -CO₂R³, -SR³, -N(R³)₂, -P(R³)₂, -SOR³, -SO₂R³, and -NO₂; ~~or adjacent R-groups together can form a 5- or 6-membered cycloalkyl, aryl, or heteroaryl ring.~~

R^2 is the same or different at each occurrence and is selected from C_1 - C_{20} alkyl, C_2 - C_{20} alkenyl, C_2 - C_{20} alkynyl, C_1 - C_{20} alkoxy, C_1 - C_{20} oxyalkyl, C_2 - C_{20} oxyalkenyl, C_2 - C_{20} oxyalkynyl, C_1 - C_{20} fluorinated alkyl, C_2 - C_{20} fluorinated alkenyl, C_1 - C_{20} fluorinated oxyalkyl, C_2 - C_{20} fluorinated oxyalkenyl, C_2 - C_{20} fluorinated oxyalkynyl, heteroalkyl, heteroalkenyl, heteroalkynyl, -CN, -OR³, -CO₂R³, -SR³, -N(R³)₂, -P(R³)₂, -SOR³, -SO₂R³, and -NO₂; or adjacent $[[R]]R^2$ groups together can form a 5- or 6-membered cycloalkyl or heterocycloalkyl ring, and

R^3 is a substituent on a heteroatom which can be the same or different at each occurrence and is selected from hydrogen, alkyl, aryl, heteroalkyl and heteroaryl;


Application No.: 10/696,057

Page 9

Docket No.: UC0350NA

and at least one second monomeric unit comprising an aromatic group.

2. (Currently Amended) A copolymer according to Claim 1, wherein the second monomeric unit has Formula II:





wherein:

R^2 is the same or different at each occurrence and is selected from C_1 - C_{20} alkyl, C_2 - C_{20} alkenyl, C_2 - C_{20} alkynyl, C_1 - C_{20} alkoxy, C_1 - C_{20} oxyalkyl, C_2 - C_{20} oxyalkenyl, C_2 - C_{20} oxyalkynyl, C_1 - C_{20} fluorinated alkyl, C_2 - C_{20} fluorinated alkenyl, C_1 - C_{20} fluorinated oxyalkyl, C_2 - C_{20} fluorinated oxyalkenyl, C_2 - C_{20} fluorinated oxyalkynyl, heteroalkyl, heteroalkenyl, heteroalkynyl, -CN, -OR³, -CO₂R³, -SR³, -N(R³)₂, -P(R³)₂, -SOR³, -SO₂R³, and -NO₂; or adjacent $[R]R^2$ groups together can form a 5- or 6-membered cycloalkyl or heterocycloalkyl ring, and

R^4 is the same or different at each occurrence and is selected from a single bond, alkylene, arylene, heteroalkylene, and heteroarylene.







3. (Original) A copolymer according to Claim 1, wherein the second monomeric unit has a formula selected from Formula III through Formula XII and combinations thereof,



Application No.: 10/696,057

Page 10



Docket No.: UC0350NA



Application No.: 10/696,057

Page 11

Docket No.: UC0350NA



where:

in each of Formulae III through XII:

R is a substituent on a carbon atom which can be the same or different at each occurrence and is selected from hydrogen, C₁-C₂₀ alkyl, C₂-C₂₀ alkenyl, C₂-C₂₀ alkynyl, C₁-C₂₀ alkoxy, C₁-C₂₀ oxyalkyl, C₂-C₂₀ oxyalkenyl, C₂-C₂₀ oxyalkynyl, C₁-C₂₀ fluorinated alkyl, C₂-C₂₀ fluorinated alkenyl, C₁-C₂₀ fluorinated oxyalkyl, C₂-C₂₀ fluorinated oxyalkenyl, C₂-C₂₀ fluorinated oxyalkynyl, aryl, heteroalkyl, heteroalkenyl, heteroalkynyl, heteroaryl, -CN, -OR³, -CO₂R³, -SR³, -N(R³)₂, -P(R³)₂, -SOR³, -SO₂R³, and -NO₂; or adjacent R groups together can form a 5- or 6-membered cycloalkyl, aryl, or heteroaryl ring;

R³ is a substituent on a heteroatom which can be the same or different at each occurrence and is selected from hydrogen, alkyl, aryl, heteroalkyl and heteroaryl
in each of Formulae III, IV, V, VI, VII, VIII, IX and X:

E can be the same or different at each occurrence and is a single bond or a linking group selected from arylene and heteroarylene;

in Formula V:

Application No.: 10/696,057

Page 12

Docket No.: UC0350NA

A is independently at each occurrence C or N and γ is 0 or an integer selected from 1 or 2, such that when both A are N, then γ is 0; or when one of A is N and one of A is C, then γ is 1; or when both A are C, then γ is 2;

Q is O, S, SO₂, or NR³ where:

R³ is a substituent on a heteroatom which can be the same or different at each occurrence and is selected from hydrogen, alkyl, aryl, heteroalkyl and heteroaryl;

in Formula VI:

Q¹ is a carbonyl group, O, S, SO₂, or NR³ where:

R³ is a substituent on a heteroatom which can be the same or different at each occurrence and is selected from hydrogen, alkyl, aryl, heteroalkyl and heteroaryl;

W is H, alkyl or heteroalkyl; or both of W together can represent one single bond;

in Formula VII:

the two E's are in the 1,4-, 1,5-, 1,8-, 2,3-, or 2,6- positions;

in Formula VIII:

the two E's are in the 1,4-, 1,5-, 1,8-, 2,3-, 2,6-, or 9,10- positions;

in Formula IX:

a first E is in the 1, 2, or 3 position, a second E is in the 6, 7, or 8 position;
and

in Formula X:

a first E is in the 2, 3, or 4 position; a second E is in the 7, 8, or 9 position.

4. (Original) A copolymer according to Claim 1, wherein R¹ is a C₁-C₂₀ alkyl.


5. (Original) A copolymer according to Claim 1, wherein R² is a C₁-C₂₀ alkyl.

6. (Currently Amended) An electronic device comprising an active layer positioned between two electrical contact layers, wherein the active layer comprises a copolymer comprising at least one monomeric unit having Formula I:

Application No.: 10/696,057

Page 13

Docket No.: UC0350NA



(I)

wherein:

R^1 is the same or different at each occurrence and is selected from hydrogen, C_1 - C_{20} alkyl, C_2 - C_{20} alkenyl, C_2 - C_{20} alkynyl, C_1 - C_{20} alkoxy, C_1 - C_{20} oxyalkyl, C_2 - C_{20} oxyalkenyl, C_2 - C_{20} oxyalkynyl, C_1 - C_{20} fluorinated alkyl, C_2 - C_{20} fluorinated alkenyl, C_1 - C_{20} fluorinated oxyalkyl, C_2 - C_{20} fluorinated oxyalkenyl, C_2 - C_{20} fluorinated oxyalkynyl, aryl, heteroalkyl, heteroalkenyl, heteroalkynyl, heteroaryl, -CN, -OR³, -CO₂R³, -SR³, -N(R³)₂, -P(R³)₂, -SOR³, -SO₂R³, and -NO₂; or adjacent R groups together can form a 5- or 6-membered cycloalkyl, aryl, or heteroaryl ring.

R^2 is the same or different at each occurrence and is selected from C_1 - C_{20} alkyl, C_2 - C_{20} alkenyl, C_2 - C_{20} alkynyl, C_1 - C_{20} alkoxy, C_1 - C_{20} oxyalkyl, C_2 - C_{20} oxyalkenyl, C_2 - C_{20} oxyalkynyl, C_1 - C_{20} fluorinated alkyl, C_2 - C_{20} fluorinated alkenyl, C_1 - C_{20} fluorinated oxyalkyl, C_2 - C_{20} fluorinated oxyalkenyl, C_2 - C_{20} fluorinated oxyalkynyl, heteroalkyl, heteroalkenyl, heteroalkynyl, -CN, -OR³, -CO₂R³, -SR³, -N(R³)₂, -P(R³)₂, -SOR³, -SO₂R³, and -NO₂; or adjacent [[R]]R² groups together can form a 5- or 6-membered cycloalkyl or heterocycloalkyl ring, and

R^3 is a substituent on a heteroatom which can be the same or different at each occurrence and is selected from hydrogen, alkyl, aryl, heteroalkyl and heteroaryl.


7. (Original) An electronic device according to Claim 6, wherein the copolymer further comprises at least one second monomeric unit comprising an aromatic group.

Application No.: 10/696,057

Page 14

Docket No.: UC0350NA

8. (Currently Amended) An electronic device according to Claim 7, wherein the second monomeric unit has Formula II:





wherein:

R^2 is the same or different at each occurrence and is selected from C_1 - C_{20} alkyl, C_2 - C_{20} alkenyl, C_2 - C_{20} alkynyl, C_1 - C_{20} alkoxy, C_1 - C_{20} oxyalkyl, C_2 - C_{20} oxyalkenyl, C_2 - C_{20} oxyalkynyl, C_1 - C_{20} fluorinated alkyl, C_2 - C_{20} fluorinated alkenyl, C_1 - C_{20} fluorinated oxyalkyl, C_2 - C_{20} fluorinated oxyalkenyl, C_2 - C_{20} fluorinated oxyalkynyl, heteroalkyl, heteroalkenyl, heteroalkynyl, -CN, -OR³, -CO₂R³, -SR³, -N(R³)₂, -P(R³)₂, -SOR³, -SO₂R³, and -NO₂; or adjacent R^2 groups together can form a 5- or 6-membered cycloalkyl or heterocycloalkyl ring, and

R^4 is the same or different at each occurrence and is selected from a single bond, alkylene, arylene, heteroalkylene, and heteroarylene.







9. (Original) An electronic device according to Claim 7, wherein the second monomeric unit has a formula selected from Formula III through Formula XII and combinations thereof,



Application No.: 10/696,057

Page 15



Docket No.: UC0350NA



Application No.: 10/696,057

Page 16

Docket No.: UC0350NA



where:

in each of Formulae III through XII:

R is a substituent on a carbon atom which can be the same or different at each occurrence and is selected from hydrogen, C₁-C₂₀ alkyl, C₂-C₂₀ alkenyl, C₂-C₂₀ alkynyl, C₁-C₂₀ alkoxy, C₁-C₂₀ oxyalkyl, C₂-C₂₀ oxyalkenyl, C₂-C₂₀ oxyalkynyl, C₁-C₂₀ fluorinated alkyl, C₂-C₂₀ fluorinated alkenyl, C₁-C₂₀ fluorinated oxyalkyl, C₂-C₂₀ fluorinated oxyalkenyl, C₂-C₂₀ fluorinated oxyalkynyl, aryl, heteroalkyl, heteroalkenyl, heteroalkynyl, heteroaryl, -CN, -OR³, -CO₂R³, -SR³, -N(R³)₂, -P(R³)₂, -SOR³, -SO₂R³, and -NO₂; or adjacent R groups together can form a 5- or 6-membered cycloalkyl, aryl, or heteroaryl ring;

R³ is a substituent on a heteroatom which can be the same or different at each occurrence and is selected from hydrogen, alkyl, aryl, heteroalkyl and heteroaryl
in each of Formulae III, IV, V, VI, VII, VIII, IX and X:

E can be the same or different at each occurrence and is a single bond or a linking group selected from arylene and heteroarylene;

in Formula V:

Application No.: 10/696,057

Page 17

Docket No.: UC0350NA

A is independently at each occurrence C or N and γ is 0 or an integer selected from 1 or 2, such that when both A are N, then γ is 0; or when one of A is N and one of A is C, then γ is 1; or when both A are C, then γ is 2;

Q is O, S, SO₂, or NR³ where:

R³ is a substituent on a heteroatom which can be the same or different at each occurrence and is selected from hydrogen, alkyl, aryl, heteroalkyl and heteroaryl;
in Formula VI:

Q¹ is a carbonyl group, O, S, SO₂, or NR³ where:

R³ is a substituent on a heteroatom which can be the same or different at each occurrence and is selected from hydrogen, alkyl, aryl, heteroalkyl and heteroaryl;

W is H, alkyl or heteroalkyl; or both of W together can represent one single bond;

in Formula VII:

the two E's are in the 1,4-, 1,5-, 1,8-, 2,3-, or 2,6- positions;

in Formula VIII:

the two E's are in the 1,4-, 1,5-, 1,8-, 2,3-, 2,6-, or 9,10- positions;

in Formula IX:

a first E is in the 1, 2, or 3 position, a second E is in the 6, 7, or 8 position;

and

in Formula X:

a first E is in the 2, 3, or 4 position; a second E is in the 7, 8, or 9 position.

10. (Original) An electronic device according to Claim 7, wherein the second monomeric unit has a formula

-Y-Z-Y-

wherein:

Y is an aromatic group with at least one substituent selected from alkyl, heteroalkyl, aryl, arylalkyl, heteroaryl, heteroarylalkyl, and NR⁵,

R⁵ is H or an alkyl; and

Z is an electron deficient group.

Application No.: 10/696,057







Page 18

Docket No.: UC0350NA

11. (Original) An electronic device according to Claim 10, wherein Y is selected from fluorenes, spirofluorenes, phenyls, biphenyls, bridged biphenyls, naphthalenes, anthracenes, and combinations thereof.

12. (Canceled)

13. (Original) An electronic device according to Claim 10, wherein Z is selected from:



14. (Original) An electronic device according to Claim 7, wherein the second monomeric unit has hole transport properties.

15. (Original) An electronic device according to Claim 14, wherein the second monomeric unit is selected from carbazoles, triarylamines, aromatic groups having carbazole groups, aromatic groups having triarylamine groups, and combinations thereof.

16. (Canceled)


17. (Original) An electronic device according to Claim 7, wherein the second monomeric unit is selected from substituted fluorenes, substituted phenyls, substituted biphenyls, substituted bridged biphenyls, and combinations thereof.

18. (Currently Amended) An electronic device according to Claim 7, wherein the second monomeric unit has Formula XIII:

Application No.: 10/696,057

Page 19

Docket No.: UC0350NA



wherein


R19-R22 are same or different and are selected from alkyl, heteroalkyl, aryl, arylalkyl, heteroaryl, heteroarylalkyl, and NR^5 ,

R^5 is H or an alkyl; and

o and p are numbers of substituents on the benzene rings and are same or different and each of o and p is in a range of 0-3.

19. (Original) An electronic device according to Claim 7, wherein the second monomeric unit is a branching monomeric unit having more than two linkage sites.

20. (Currently Amended) An electronic device according to Claim 19, wherein the second monomeric unit is selected from:




Application No.: 10/696,057

Page 20


Docket No.: UC0350NA

201. (Currently Amended) An electronic device comprising an active layer positioned between two electrical contact layers, wherein the active layer comprises a copolymer having the formula:



wherein:

the first monomeric unit has Formula I:



wherein:

R¹ is the same or different at each occurrence and is selected from hydrogen, C₁-C₂₀ alkyl, C₂-C₂₀ alkenyl, C₂-C₂₀ alkynyl, C₁-C₂₀ alkoxy, C₁-C₂₀ oxyalkyl, C₂-C₂₀ oxyalkenyl, C₂-C₂₀ oxyalkynyl, C₁-C₂₀ fluorinated alkyl, C₂-C₂₀ fluorinated alkenyl, C₁-C₂₀ fluorinated oxyalkyl, C₂-C₂₀ fluorinated oxyalkenyl, C₂-C₂₀ fluorinated oxyalkynyl, aryl, heteroalkyl, heteroalkenyl, heteroalkynyl, heteroaryl, -CN, -OR³, -CO₂R³, -SR³, -N(R³)₂, -P(R³)₂, -SOR³, -SO₂R³, and -NO₂; ~~or adjacent R groups together can form a 5- or 6 membered cycloalkyl, aryl, or heteroaryl ring;~~

R² is the same or different at each occurrence and is selected from C₁-C₂₀ alkyl, C₂-C₂₀ alkenyl, C₂-C₂₀ alkynyl, C₁-C₂₀ alkoxy, C₁-C₂₀ oxyalkyl, C₂-C₂₀ oxyalkenyl, C₂-C₂₀ oxyalkynyl, C₁-C₂₀ fluorinated alkyl, C₂-C₂₀ fluorinated alkenyl, C₁-C₂₀ fluorinated oxyalkyl, C₂-C₂₀ fluorinated oxyalkenyl, C₂-C₂₀ fluorinated oxyalkynyl, heteroalkyl, heteroalkenyl, heteroalkynyl, -CN, -OR³, -CO₂R³, -SR³, -N(R³)₂, -P(R³)₂, -SOR³, -

Application No.: 10/696,057

Page 21

Docket No.: UC0350NA

SO₂R³, and -NO₂; or adjacent $[[R]]R^2$ groups together can form a 5- or 6-membered cycloalkyl or heterocycloalkyl ring, and

R³ is a substituent on a heteroatom which can be the same or different at each occurrence and is selected from hydrogen, alkyl, aryl, heteroalkyl and heteroaryl;

the ED unit has a formula -Y-Z-Y- wherein:

Y is an aromatic group with at least one substituent selected from alkyl, heteroalkyl, aryl, arylalkyl, heteroaryl, heteroarylalkyl, and NR⁵,

R⁵ is H or an alkyl; and

Z is an electron deficient group;

the HT unit is a monomeric unit having hole transport properties;



the SE unit is selected from substituted fluorenes, substituted phenyls, substituted biphenyls, substituted bridged biphenyls, and combinations thereof;

the branching unit is a monomeric unit having more than two linkage sites;

q is an integer; and

r, s, t, and u are 0 or an integer, with the proviso that at least one of r, s, t, and u is an integer which is not 0.




22. (New) An electronic device according to Claim 14, wherein the second monomeric unit is selected from:



Application No.: 10/696,057

Page 22



Docket No.: UC0350NA



Application No.: 10/696,057

Page 23




Docket No.: UC0350NA



Application No.: 10/696,057

Page 24


Docket No.: UC0350NA



Application No.: 10/696,057

Page 25

Docket No.: UC0350NA



wherein:

R_9 - R_{18} are same or different and are selected from alkyl, heteroalkyl, aryl, arylalkyl, heteroaryl, heteroarylalkyl, and NR^5 ,

R^5 is H or an alkyl;

i, j, k, l are numbers of substituents on the benzene rings and are same or different and each of i, j, k , and l is in a range of 0-3.